

**SATTLER**   
*thinking highTEX*



# SATTLER MARINE

Solution Dyed Acrylic





## Sattler MARINE & MARINE EXCEL

**SATTLER offers the perfect boat-cover solution for every requirement.**

Cutting-edge technology and know-how guarantee the best protection for your boat!

The important features of SATTLER Marine:

- High quality solution dyed acrylic fabric
- High resistance to water pressure
- Oil and dirt repellent
- Superior abrasion resistance
- Anti-Mildew and Anti-Fungicide
- Excellent colour fastness
- Available in multiple colours and widths



winter covering



summer covering



boat cover




\* CONDITIONS APPLY

	MARINE (UNBACKED)			MARINE EXCEL (BACKED)		
	150 cm	205 cm	240 cm	150 cm	205 cm	240 cm
Black 154	✓	✓	✓		✓	✓
Dark Navy 587		✓	✓		✓	✓
Marine Blue 586		✓		✓		
Sea Blue E52		✓			✓	
Eclipse 979				✓		
Graphite 961				✓		
Charcoal 398		✓	✓		✓	
Pewter 941					✓	
Silver 030		✓				
White 010		✓		✓		
Stone 819		✓	✓			
Cinnamon 916		✓				
Linen 020		✓	✓		✓	
Burgundy 763		✓				
Heritage Green 362		✓				



## Sattler MARINE



White 010



Silver 030




Charcoal 398



Sea Blue E52



Marine Blue 586



Dark Navy 587



Black 154



Linen 020



Cinnamon 916



Stone 819




Heritage Green 362



Burgundy 763

## Sattler MARINE EXCEL



White 010



Pewter 941



Charcoal 398




Sea Blue E52



Marine Blue 586




Dark Navy 587




Black 154



Linen 020



Graphite 961



Eclipse 979

## TECHNICAL DATA

Technical data shown below are average values of the current production		Sattler MARINE EXCEL	Sattler MARINE
base fabric	DIN 60 001	PAC	PAC
total weight (g/m <sup>2</sup> )	DIN EN 12127 DIN EN ISO 2286-2	340	290
tensile strength (N/5 cm)	DIN EN ISO 13934-1 DIN EN ISO 1421	1700/1100	1400/1000
water column	DIN EN 20811	>900 mm	>310 mm
water repellency (spray test)	DIN EN 24 920	100	100
oil repellency	AATCC 118	Note: 5	Note: 5
weather fastness	DIN EN ISO 105-B04	min. 7	min. 7
width (cm)		Available in multiple widths	Available in multiple widths

• **Note:** Subject to change in view of technical upgrades. Values indicated without tolerance levels are nominal values with a tolerance of ±5%. All data presented here is given to the best of our current knowledge for guidance purposes and is not legally binding. Sattler AG must consent to uses other than specified. Without written consent of Sattler AG for usages other than the here specified no liability will be granted.

## CARE INSTRUCTIONS:

Clean with water or a mild soapy solution. Use a soft brush to avoid harsh scrubbing. Rinse with clean water.

Under no circumstances should the cover be cleaned with high-pressure cleaners, chemical substances or in a washing machine. The cover should never be rolled or folded up and put away when wet.

[www.sattler-suntex.com](http://www.sattler-suntex.com)

fabrics@hvg.net.au | [hvgfabrics.com.au](http://hvgfabrics.com.au) | p 1300 854 811 | f 1300 658 889

Sattler Acrylics – Exclusively distributed in Australia by HVG Fabrics Pty Ltd, a part of the HVG group of companies.